

Fusion FLOORING



COMMERCIALLY ENGINEERED. DESIGNED FOR EVERYONE.

Fusion FLOORING

COMMERCIALLY ENGINEERED. DESIGNED FOR EVERYONE.

When selecting a floorcovering we believe that high performance should not mean compromising on style and design. Drawing influence from natural elements that are in keeping with today's interior trends, the Fusion collection includes a range of popular wood and stone designs, all accurately reproduced to create flooring that is both beautiful and practical for a wide range of internal spaces.


Developed with a single specification that is suitable for both heavy-traffic commercial installations and domestic interiors, Fusion brings together a variety of different styles from traditional, historical woods to fresh, modern concrete tiles.

To further enhance the authenticity of the Fusion collection, all of the wood and a selection of stone designs come with a bevelled effect on all four sides of the plank or tile, adding further depth and detailing to the overall appearance of the floor once laid. Combined with our selection of feature, grouting and marquetry strips to create a truly bespoke finish to your installation, the possibilities with Fusion are endless.

Product Qualities



Environmental



For full technical and environmental details see [page 53](#)



This image: Rustic Sawn Timber, straight laid
Cover: Island Oak straight laid



Fusion FLOORING

Faithfully reproducing the natural beauty and splendour of wood planks, the realistic surface textures combined with varying grains and tones gives each plank an authentic appearance.

COMMERCIALLY ENGINEERED. DESIGNED FOR EVERYONE.

Wood

Royal White Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



Royal White Oak 1060

Able to enhance a wide variety of room interiors, this fresh yet natural white oak design incorporates authentic wood grain detail with embossed surface effect. The subtle tone variation within each plank can be further emphasised by using Fusion floor accessories.

Left: Inlaid with Ice grouting strip

Right: Straight laid. This sits perfectly alongside Ivory Limestone

Country Elm

Plank size: **184.2 x 1219.2mm**

Four way bevel



Country Elm 1061

The pale grey and blond tones, and subtle wood grain typical of this species has been beautifully replicated in Country Elm. The extra wide plank format and bevelled edging along all four sides creates a sophisticated look that enhances any interior.

Left: Straight laid

Right: Brickwork wood tile effect

Island Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



Island Oak 1073

Island Oak beautifully combines a traditional classic oak wood structure with contemporary colour ways. Developed to offer a cooler and refined aesthetic to interiors, Island Oak is ideal for creating a light, airy and calming interior.


Left: Straight laid

Right: Naval plank design inlaid with Coffee grouting strip

Oxford Light Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



☞ Oxford Light Oak 1062

The organic colourways of Oxford Light Oak brings the woods character to life whilst blending into any interior backdrop. The smooth embossed surface creates a clean, sanded plank texture for a contemporary finish which sits perfectly alongside other modern flooring finishes such as natural stone or concrete.

Left: Straight laid. Urban Concrete is featured in the seating area

Right: Naval plank design inlaid with Natural Oak marquetry strip

Almond Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



Almond Oak 1063

Oak wood designs continue to be a firm favourite year after year, due to its versatility and inviting quality. The untreated decoration of Almond Oak brings out the natural character of the wood grain, complemented by the textured surface emboss and large scale plank dimensions.

Both images: Straight laid

Sable Oak

Plank size: 184.2 x 1219.2mm

Four way bevel



Sable Oak 1074

Characterised by a variety of rich, warming tones, Sable Oak is a striking companion for a wide variety of interior designs. The defined grain detailing gives the illusion of depth, transforming an interior space whilst exuding sophistication and natural charm.

Left: Straight laid. Ivory Limestone is featured in the en-suite

Right: Straight laid, with Brown feature strip use in walkway perimeter

Honey Rich Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



☞ Honey Rich Oak 1064

For those interiors that require an unspoilt and untreated flooring decoration, the wide plank format and rustic surface emboss of Honey Rich Oak offers a more traditional appearance, which when combined with our range of floor accessories can achieve eye-catching results.

Left: Naval plank design inlaid with Classic Oak marquetry strip

Right: Straight laid

Honey Rich Oak Parquet

Plank size: 101.4 x 609.6mm
Four way bevel



☞ Honey Rich Oak Parquet 1071

Combining timeless elegance with the growing trend for slimmer wood planks, Honey Rich Oak Parquet captures the beauty of classic oak in a contemporary plank size that offers greater flexibility in floor laying patterns including herringbone and woodblock effects.

Left: Woodblock design
Right: Double plank herringbone design, with Honey Rich Oak straight laid on raised platform

Wild Apple

Plank size: 184.2 x 1219.2mm

Four way bevel



Wild Apple 1065

Offering a multitude of warming gold, honey and hazelnut tones within the delicate wood grain, Wild Apple gives any space an inviting and restful backdrop. Though calming, the wide planks with their strong directional contrasts can create a striking appearance.

Left: Straight laid

Right: Full plank herringbone design

Cathedral Oak

Plank size: **184.2 x 1219.2mm**
Four way bevel



Cathedral Oak 1066

Taking inspiration from the many historical spaces seeped in tradition and architectural splendour, Cathedral Oak's strength and character is reflected in the warming blush tones within each plank. The authentic wood grain mirrored in the rustic surface emboss, and wide bevelled edged planks further enhances this designs grandeur.

Left: Straight laid
Right: Full plank rows

Bishop Dark Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



☞ Bishop Dark Oak 1067

Create an interior scheme that projects a sense of style and class with the remarkable detail and realism of Bishop Dark Oak. The exceptional beauty of the wood grains tonal variants and arrangement complement the elongated plank length for an inviting environment.

Left: Straight laid

Right: Naval plank design inlaid with Walnut marquetry strip

Rich Walnut

Plank size: **184.2 x 1219.2mm**

Four way bevel



Rich Walnut 1068

Combining dark velvety chocolate and warming taupe shades that seam through this elongated plank design, Rich Walnut creates a floor finish that is both bold and attractive. The fine wood texture adds depth without detracting from the impact of the natural wood grain for a warm and welcoming environment.

Both images: Straight laid

Willow Brown Oak

Plank size: **184.2 x 1219.2mm**

Four way bevel



Willow Brown Oak 1069

Encompassing warming grey, brown and beige highlights, this attractive oak with its extended plank length and defined wood texture adds richness and depth to your interior, creating a warm, luxurious atmosphere.


Left: Straight laid

Right: Full plank herringbone design

Rustic Sawn Timber

Plank size: **184.2 x 1219.2mm**

Four way bevel




☞ Rustic Sawn Timber 1072

Rustic Sawn Timber strays from the trend for more traditional uniform planks, and offers a reclaimed, cross sawn textured wood design. Combining muted grey and brown tones, Rustic Sawn Timber complements a range of interior styles from country retreat to contemporary open plan spaces.

Left: Double plank tramline

Right: Straight laid

Willow Grey Oak

Plank size: **184.2 x 1219.2mm**
 Four way bevel 



Willow Grey Oak 1070

Ideal for light, modern interiors the warm grey hues and subtle wood grain of Willow Grey Oak continue the trend for contemporary oak floorcoverings. Combining this with other similar wood effects like Royal White Oak, gives a fresh fashionable twist to a more traditional material.

Left: Brickwork wood tile effect

Right: Straight laid together with Royal White Oak

Fusion FLOORING

Elegantly combining the textures and tonal variations found in natural rock formations, the Fusion collection of stone finishes evokes a sense of luxury that will bring any interior to life.

Stone


COMMERCIALLY ENGINEERED. DESIGNED FOR EVERYONE.



Ivory Limestone



Tile size: **457.2 x 457.2mm**
Four way bevel



Ivory Limestone 1076

Drawing inspiration from natural rock and stone formations, Ivory Limestone's sophisticated and organic colourways combined with the delicate emboss surface texture gives a fresh and clean appearance, and when laid with our range of accessories can create bespoke flooring designs for an elegant finish.

Left: Brickwork pattern with Pearl grouting strip
Right: Straight laid




Organic Fossilstone



Tile size: **457.2 x 457.2mm**

Four way bevel



Left: Straight laid

Right: Chequerboard effect with Urban Concrete

Organic Fossilstone 1077

The rustic and subtle tones within Organic Fossilstone, including greys, cream and beiges, accentuate the designs authentic impurities and natural formations typically found in this type of stone, and can further enhance any interior when laid with other more modern stone finishes.



Metro Concrete



Tile size: 457.2 x 914.4mm



Both images: Straight laid

Metro Concrete 1075


Concrete designs continue to be a firm favourite with interior designers. The subtle tonal variations of Metro Concrete forge texture and a weathered appearance to produce a fresh, industrial floorcovering which complements modern materials and architectural features.



Urban Concrete



Tile size: **457.2 x 457.2mm**
Four way bevel



Left: Straight laid with Ice grouting strip
Right: Straight laid

Urban Concrete 1078


For those interiors looking to achieve a modern industrial style without appearing cold, the Urban Concrete design perfectly balances contemporary design, enhanced by the authentic surface texture, with warm grey and taupe shades. Create sleek bespoke layouts using our range of accessories to add highlights to your floor.



Black Riven Slate



Tile size: **457.2 x 457.2mm**
Four way bevel



Left: Four tiles together with Ice grouting strip, brickwork effect
Right: Brickwork effect

Black Riven Slate 1079


Slate is a timeless design that continues to be popular in a range of interiors. The delicate tints of black and greys have been expertly recreated and together with the authentic surface texture creates a stunningly intense platform for furnishings and fabrics.

Wood Collection

 Four way bevel




1060 Royal White Oak Plank size 184.2 x 1219.2mm 




1061 Country Elm Plank size 184.2 x 1219.2mm 




1073 Island Oak Plank size 184.2 x 1219.2mm 





1062 Oxford Light Oak Plank size 184.2 x 1219.2mm 




1063 Almond Oak Plank size 184.2 x 1219.2mm 




1074 Sable Oak Plank size 184.2 x 1219.2mm 





1064 Honey Rich Oak Plank size 184.2 x 1219.2mm 




1071 Honey Rich Oak Parquet Plank size 101.4 x 609.6mm 




1065 Wild Apple Plank size 184.2 x 1219.2mm 




1066 Cathedral Oak Plank size 184.2 x 1219.2mm 



1067 Bishop Dark Oak Plank size 184.2 x 1219.2mm 




1068 Rich Walnut Plank size 184.2 x 1219.2mm 



1069 Willow Brown Oak Plank size 184.2 x 1219.2mm 



1072 Rustic Sawn Timber Plank size 184.2 x 1219.2mm 



1070 Willow Grey Oak Plank size 184.2 x 1219.2mm 

Stone Collection

Four way bevel



1076 Ivory Limestone

Tile size 457.2 x 457.2mm



1077 Organic Fossilstone

Tile size 457.2 x 457.2mm



1078 Urban Concrete

Tile size 457.2 x 457.2mm



1079 Black River Slate

Tile size 457.2 x 457.2mm



1075 Metro Concrete

Tile size 457.2 x 914.4mm

Right: Organic Fossilstone, laid two tiles together in brickwork effect with Cream feature strip



Accessories

The expert care and attention to detail that has been part of the Fusion wood and stone design development allows you to create a stunning interior. Should you however wish to create a truly bespoke floor and enhance your rooms appearance, then we offer a range of inlay accessories for you to choose from.

Grouting Strips

Adding a level of authenticity to your chosen flooring through fine detailing and textures, Fusion Grouting Strips can be laid between stone tiles to create a room perimeter, feature area or highlight a design floor layout. Use a close-to-tile colour or a contrasting colour for a more striking effect.



Marquetry Strips

Similar in design to the Grouting Strips, Fusion Marquetry Strips when added to your wood plank design floor help create a stunning finish. Adding authentic textures and detailing, the Marquetry Strips come in 4 wood shades and can be laid between planks to create a 'ships decking' effect, as a perimeter around a room or permanent features such as island units. These Marquetry Strips are also designed to work with Fusion stone designs, providing you with endless possibilities.



Feature Strips

For those interiors that require a bolder highlight when creating a design floor, Fusion Feature Strips come in 5 solid colourways and can give your installation a more graphic look. The striking metallic shades together with natural brown tones are all designed to work with wood and stone floors.



Note: As the Grouting and Marquetry Strips are cut from natural wood and stone designs, there will be variation in markings and decoration.

Technical

| Characteristics | Standards | Fusion <small>FLOORING</small> |
|---|--|---|
| Gauge | EN 428 / EN ISO 24346 | 2.5mm |
| Wear layer | EN 429 / EN ISO 24340 | 0.55mm |
| Packaging plank size | EN 427 / EN ISO 24342 | 15 @ 184.2 x 1219.2mm = 3.37m ² 54 @ 101.4 x 609.6mm = 3.34m ² |
| Packaging tile size | EN 427 / EN ISO 24342 | 16 @ 457.2 x 457.2mm = 3.34m ² 8 @ 457.2 x 914.4mm = 3.34m ² |
| Surface treatment | | PU |
| Total weight | EN 430 / EN ISO 23997 | 4,290 g/m ² |
| General performance | EN 649 / EN ISO 10582 | Heterogeneous, PVC |
| Performance classification | EN 685 / EN ISO 10874 | 23 / 33 / 42 |
| Slip resistance | EN 13893 DIN 51130 | Class DS (dry condition) R10 |
| Dimensional stability | EN 434 / EN ISO 23999 | ≤0.1% |
| Residual indentation | EN 433 / EN ISO 24343-1 | 0.1mm |
| Colour fastness to artificial light | EN ISO 105-B02 | level ≥ 6 method A |
| Behaviour to fire | EN 13501-1 | Bfl - S1 |
| Abrasion resistance | EN 649 EN ISO 10582 | Group T Type I |
| Electrostatic properties when walked on | EN 1815 | <2kV |
| Castor chair suitability | EN 425 / ISO 4918 | Yes, type W, EN 12 529 |
| Underfloor heating suitability | EN 1264-2 | Suitable, max 27°C |
| VOC emissions | | Low VOC |
| Environmental rating | BRE Global | Generic A+ |
| Applications | Fusion LVT is ideally suited for all residential interiors as well as heavy commercial areas within the retail, office, leisure, healthcare and education sectors. | |

Environment

When choosing a floor that has a low environmental impact for your installation, without compromising on durability and practicality, vinyl flooring is the ideal solution. All of the designs within the Fusion collection contain an average of 40% recycled material, and are 100% recyclable via the vinyl take-back scheme Recofloor. Vinyl can be recycled many times without losing any of its performance properties, and along with its low VOCs, energy efficient manufacturing, long life and low maintenance, Fusion is the perfect choice for your installation.



For further details on any technical or environmental data, please contact your flooring provider.

Floorcare

We want your new Fusion floor to continue to look as good as the first day it was installed, so to help you achieve this we have laid out the following floorcare guidelines. Each product in the Fusion collection features a polyurethane (PU) treatment within a hard-wearing surface providing protection against everyday wear, ensuring optimum long-term performance of your floor. Furthermore, Fusion does not harbour dust mites or bacteria making it ideal for the home environment.

Floorcare instructions for domestic interiors:

Initial cleaning after your new floor has been installed:

- Avoid walking on the floor for at least 24 hours following completion of installation.
- Sweep or vacuum to prevent loose dirt or grit from scratching the floor.
- Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection.

Day to day cleaning:

- Sweep or vacuum the floor to remove loose dirt, grit or dust.
- Use clean mops and neutral cleaning solutions to regularly clean your floor.
Contact your flooring provider for details of approved maintenance products.
- Dilute the floor cleanser to the manufacturer's instructions.
- Mop the floor evenly.
- Collect any excess liquid in a mop bucket.
- Rinse the floor with clean water and allow to dry.

Regular cleaning is more beneficial to the floorcovering and is more cost effective than occasional heavy cleaning.

- Do:

✓

Install barrier mats at entrances to pick up grit and moisture. (Note, some rubber-backed mats may discolour the floor)

✓

Ensure your furniture is fitted with protective pads where necessary to prevent scratches.

✓

Use protective cups under heavy furniture to prevent indentation.

✓

Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards.

✓

Always use clean equipment when maintaining your floor.

✓

Regularly trim pets claws as these can cause fine scratches.
- Don't:

✗

Use abrasive liquids or metal scouring pads as these can damage the floor.

✗

Clean the floor with solvents, caustic detergents, washing up liquids, soap powders, bleach, furniture polishes, petroleum based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage.

✗

Drag furniture with unprotected feet across the floor.

For commercial floorcare instructions contact your flooring provider for more details.

Fusion FLOORING

Guarantee

The Fusion collection of luxury vinyl tiles has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style.

Compared with many alternative flooring options, Fusion will under normal conditions resist household stains, will not crack, chip or splinter. The manufacturers of Fusion are confident that the high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 10 years in commercial interiors and 15 years in domestic interiors against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or flooring provider.

10
YEARS

Commercial
guarantee

15
YEARS

Domestic
guarantee

Fusion FLOORING

To see the collections online, visit
www.fusionfloors.co.uk

COMMERCIALY ENGINEERED. DESIGNED FOR EVERYONE.