

**QUICK-STEP**<sup>®</sup>  
FLOOR DESIGNERS



LIVYN |

COLLECTION 2018 - 2019



BACL 40018




BACL 40052



AMCL 40136





## Discover your luxury vinyl floor

- 04 The looks you want, the comfort you need
- 07 A luxury vinyl floor for every type of surface
- 08 Find your ideal Livyn floor
- 10 Create your own living space
- 12 Let us guide you to the perfect floor
- 14 Types of structure, treatment, finishing and bevel
- 16 Discover the full Livyn collection

## Installation

- 21 Install Quick-Step luxury vinyl on walls
- 22 Install your floor without hassle
- 23 Simply choose click or glue

## Finishing

- 24 Finish perfectly

## Cleaning

- 26 Keep your floor in top condition

# The looks you want, the comfort you need



## Quiet, strong and 100% waterproof

Enjoy your luxury vinyl floor for many years to come thanks to the sealed top layer with Stain and Scratch Guard technology. This layer ensures superior protection from scratches, stains, dirt and scuff marks. Moreover, thanks to their excellent water resistance, our luxury vinyl floors are the perfect choice for every room, even bathrooms or kitchens. The water-repellent layer makes them super easy to clean. These warm, comfortable floors are a pleasure to walk on – even barefoot. Prefer to keep your shoes on? All Livyn floors are silent: you barely hear a thing.



## A wide variety of beautiful, natural looks

The Quick-Step Livyn collection includes a wide range of natural-looking wood and stone designs, each with its own authentic character. The extra matt finish makes them nearly indistinguishable from real wood and tile flooring. For a perfect finish, we select the bevels and structures that match your favourite design.



## Installed in 1-2-3

**NEW** A Livyn floor for every surface and installation

Next to its flexible luxury vinyl planks, Quick-Step now offers a brand-new rigid collection. As a result, you now have a vinyl flooring solution for any type of subfloor (levelled, irregular or very irregular) and installation (floating or glued). In short, it's the perfect solution for renovations.

### DIY: all you need is a knife to cut the planks

Livyn floors are exceptionally thin, which makes them ideal to install on top of existing floors. Installing luxury vinyl is a piece of cake: all it takes is two hands and a knife to cut the planks and tiles. Use a saw for a perfect finish on your rigid luxury vinyl floor.


### Make it click

All our luxury vinyl floors are equipped with the Uniclic® Multifit or Uniclic® installation system, especially designed for Livyn. This ensures a worry-free installation, even in tight corners and under doors or radiators.



### Flexible vs rigid: what's the difference?

Not sure whether you need flexible or rigid luxury vinyl? Discover the ideal solution for your project on p. 6-9.



**Find your perfect  
Livyn floor, no matter  
the surface!**

# A luxury vinyl floor for every type of surface



Whether you prefer a rigid or flexible Livyn floor, you will certainly find a flooring design that suits your taste. Inspired by nature, our luxury vinyl floors are nearly indistinguishable from real wood and tile flooring. Lively colours, distinguished patterns, edgy structures, ultra-fine details,... There is a floor for every taste, room or project.



All Quick-Step Livyn floors have a standard set of advantages:

- **Waterproof:** the water-repellent layer makes Livyn ideal for bathrooms and kitchens. It also makes it super-easy to clean!
- **Soft and warm:** Livyn floors are a pleasure to walk on, even barefoot.
- **Silent:** luxury vinyl flooring offers significant acoustic advantages.
- **Easy to install:** the Uniclic® Multifit or Uniclic® installation system ensures a worry-free installation.
- **Beautiful, nature-inspired designs:** choose from a wide range of natural-looking wood and stone designs.

NEW

## Rigid flooring: no surface preparation needed

Our new rigid luxury vinyl planks, however, offer an important extra convenience: you don't have to perfectly level the surface before installation. Just install your underlay, and you're good to go!

### Not sure which floor to choose?

We help you pick the best Livyn floor for your project on p. 8-9.

### How to install your Livyn floor?

Installing a Livyn floor is very easy. Don't believe it? Let us help you with our installation videos at [bit.ly/ytquickstep](https://bit.ly/ytquickstep)



# Find your ideal Livyn floor

## Which is your favourite plank or tile?


### Which surface are you installing on?

### Pulse


### Balance

**Levelled** subfloor  
and installation  
**on walls**

#### Pulse Glue+


151,5 x 21,7 cm  
≅ 2,5 mm  
11 x  = 3,616 m<sup>2</sup>

#### Balance Glue+


125,6 x 19,4 cm  
≅ 2,5 mm  
15 x  = 3,655 m<sup>2</sup>

**Irregular**  
subfloor

#### Pulse Click Pulse Click+

151 x 21 cm  
≅ 4,5 mm  
7 x  = 2,220 m<sup>2</sup>


#### Balance Click Balance Click+

125,1 x 18,7 cm  
≅ 4,5 mm  
9 x  = 2,105 m<sup>2</sup>


For irregularities of 4 mm wide by 1 mm deep.

**Very irregular** subfloor

#### Pulse Rigid Click Pulse Rigid Click+

151 x 21 cm  
≅ 5 mm  
7 x  = 2,230 m<sup>2</sup>


#### Balance Rigid Click Balance Rigid Click+

125,1 x 19 cm  
≅ 5 mm  
9 x  = 2,140 m<sup>2</sup>


For irregularities of 5 mm wide by 2 mm deep.



# Ambient



## Ambient Glue+

130,5 x 32,7 cm  
≅ 2,5 mm  
9 x  = 3,841 m<sup>2</sup>

installation




Unlimited installation  
in length and width

warranty



## Ambient Click Ambient Click+


130 x 32 cm  
≅ 4,5 mm  
5 x  = 2,080 m<sup>2</sup>



Unlimited installation  
in length and width



## Ambient Rigid Click Ambient Rigid Click+

61 x 30,5 cm  
≅ 5 mm  
10 x  = 1,860 m<sup>2</sup>



Transition profiles  
needed (p. 25)



**Glue+/Click+:** extra wear-resistant floors for areas with higher traffic (commercial use and high traffic residential use).



### CLASS 32

For residential use.  
Normal daily use in ordinary living spaces.

### CLASS 33

For commercial use and high traffic residential use. Extra wear-resistant floors for areas with higher usage.

# Create your own living space



More inspiration on  
[www.quick-step.co.uk](http://www.quick-step.co.uk)

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!





BACL 40156



AMCL 40035



BACL 40158



PUCL 40075



Transition profiles are unnecessary when installing a flexible luxury vinyl floor. You can install your Livyn floor infinitely in length and width. When choosing to install from our rigid range, our matching profiles will finish your floor to perfection (for further information, see page 25).

# Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



BACL 40033

# FLOOR EXPLORER

## 3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.




Why not give it a try?  
Enter the FloorExplorer at  
[www.quick-step.co.uk](http://www.quick-step.co.uk)

**1** SELECT  
A ROOM



**2** CHOOSE  
A COLOUR



**3** DEFINE  
YOUR STYLE



# ROOM VIEWER

## GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.



Try it out now!  
Launch the RoomViewer at  
[www.quick-step.co.uk](http://www.quick-step.co.uk)



**DISCOVER YOUR PERFECT FLOOR ON [WWW.QUICK-STEP.CO.UK](http://WWW.QUICK-STEP.CO.UK)**

# The details make the difference

Each luxury vinyl floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



The icons indicate the specific design characteristics of every floor.

AMGP 40139

## Structure



### Elegant wood structure

A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.



### Natural wood structure

A surface texture where the grain, knots and cracks that are visible in the design can also be felt in the surface structure. Just like real wood.



### Intense wood structure


This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.



### Stone structure

A surface texture that realistically displays the structure of a stone pattern.

## Treatment



### Brushed


A surface effect that gives the appearance of brushed wood. The brushed treatment adds depth and authenticity to a Livyn floor.



### Saw cut

This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.

## Finishing



### Matt finish

A matt gloss giving the floor a very natural look.



### Rustic bevel

Distinctive dark coloured bevel emphasising the rustic and reclaimed character of the floor.



### Modern bevel

The bevel defines the plank edges resulting in a clean, modern look.



### Nano bevel

Fine nano-beveled edges offer the look of a minimalistic, modern floor.

# PULSE

## GLUE+

**PUGP**  
151,5 x 21,7 cm  
≡ 2,5 mm

## CLICK

**PUCL**  
151 x 21 cm  
≡ 4,5 mm

## CLICK+

**PUCP**  
151 x 21 cm  
≡ 4,5 mm

## RIGID CLICK

**NEW** **RPUCL**  
151 x 21 cm  
≡ 5 mm

## RIGID CLICK+

**NEW** **RPUCP**  
151 x 21 cm  
≡ 5 mm



**SEA BREEZE OAK LIGHT**  
40079



**MORNING MIST PINE**  
40074



**SAND STORM OAK WARM GREY**  
40083



**AUTUMN OAK WARM GREY**  
40089



**COTTON OAK WARM GREY**  
40105



**COTTON OAK GREY WITH SAW CUTS**  
40106



**SEA BREEZE OAK BEIGE**  
40080



**COTTON OAK BEIGE**  
40103



**AUTUMN OAK LIGHT NATURAL**  
40087



**PURE OAK BLUSH**  
40097



**PICNIC OAK OCHRE**  
40093



**SEA BREEZE OAK NATURAL**  
40081



**COTTON OAK NATURAL**  
40104



**PICNIC OAK WARM NATURAL**  
40094



**AUTUMN OAK HONEY**  
40088



**PURE OAK HONEY**  
40098





  
**SUNDOWN PINE**  
40075



  
**AUTUMN OAK BROWN**  
40090



  
**SAND STORM OAK BROWN**  
40086



  
**VINEYARD OAK BROWN**  
40078

For availability of the rigid collection: check your local retailer.





PUCL 40081  
QUICK-STEP LIVVYN FLOOR WITH PLANK VARIATION



OTHER VINYL FLOOR WITHOUT PLANK VARIATION

This design technique adds lifelike colour variations with shades and tones, enhancing the natural look of the floor.





**Order your floor samples online**

Curious to see what the floor of your choice would look like in reality?  
How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.

# BALANCE

GLUE+

BAGP

125,6 x 19,4 cm

≡ 2,5 mm

CLICK

BACL

125,1 x 18,7 cm

≡ 4,5 mm

CLICK+

BACP

125,1 x 18,7 cm

≡ 4,5 mm

RIGID CLICK

NEW

RBACL

125,1 x 19 cm

≡ 5 mm


RIGID CLICK+

NEW

RBACP

125,1 x 19 cm

≡ 5 mm



**CANYON OAK LIGHT WITH SAW CUTS**

40128



**VELVET OAK LIGHT**

40157




**CANYON OAK BEIGE**

40038



**SILK OAK LIGHT**

40052



**CANYON OAK GREY WITH SAW CUTS**

40030



**VELVET OAK BEIGE**

40158



**DRIFT OAK BEIGE**

40018



**SELECT OAK LIGHT**

40032



**SILK OAK WARM NATURAL**

40130



**CLASSIC OAK NATURAL**

40023



**SELECT OAK NATURAL**

40033



**CANYON OAK NATURAL**

40039



**COTTAGE OAK NATURAL**

40025




**VINTAGE CHESTNUT NATURAL**

40029



**VICTORIAN OAK NATURAL**

40156



**VELVET OAK SAND**

40159



 **CANYON OAK LIGHT BROWN WITH SAW CUTS**  
40031



 **CANYON OAK DARK BROWN WITH SAW CUTS**  
40059



 **CANYON OAK BROWN**  
40127



 **VELVET OAK BROWN**  
40160



 **SILK OAK DARK GREY**  
40060



 **COTTAGE OAK DARK BROWN**  
40027

For availability of the rigid collection: check your local retailer.



**Too many options to choose from?**

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on [www.quick-step.co.uk](http://www.quick-step.co.uk)

# AMBIENT

## GLUE+

**AMGP**  
130,5 x 32,7 cm  
≡ 2,5 mm

## CLICK

**AMCL**  
130 x 32 cm  
≡ 4,5 mm

## CLICK+

**AMCP**  
130 x 32 cm  
≡ 4,5 mm

## RIGID CLICK

**NEW** **RAMCL**  
61 x 30,5 cm  
≡ 5 mm


## RIGID CLICK+

**NEW** **RAMCP**  
61 x 30,5 cm  
≡ 5 mm



 **MARBLE CARRARA WHITE**  
40136

CLEAN



 **MINIMAL LIGHT GREY**  
40139

CLEAN



 **MINIMAL MEDIUM GREY**  
40140

CLEAN



 **MINIMAL TAUPE**  
40141

CLEAN



 **CREAM TRAVERTIN**  
40046

VIVID




 **LIGHT GREY TRAVERTIN**  
40047

VIVID



 **VIBRANT SAND**  
40137

CLEAN



 **VIBRANT MEDIUM GREY**  
40138

CLEAN



 **GREY SLATE**  
40034

VIVID



 **BLACK SLATE**  
40035





VIVID






Ambient Click/Click+/Glue+  
except 40136, 40139, 40140, 40141

Ambient Click/Click+/Glue+  
40136, 40139, 40140, 40141

Ambient Rigid Click/Click+

For availability of the rigid collection: check your local retailer.

Structure:  Elegant wood structure  Natural wood structure  Intense wood structure  Stone structure

Treatment:  Brushed  Saw cut | Finishing:  Matt finish | Bevels:  Rustic bevel  Modern bevel  Nano bevel

## Going vertical

# Install Quick-Step luxury vinyl on walls



Did you know that Quick-Step luxury vinyl flooring can be applied to wall surfaces as well? This makes it possible to extend the aesthetics of your floor to one or more walls of your interior and creates a unique and stylish sense of space. It's even possible to install Quick-Step Livyn in the shower!

### 4 golden rules

- 1 Use glue-down Livyn floors:** pick your favourite from our Pulse, Balance or Ambient Glue+ collection.
- 2 On a wall:** start from a flat and dry surface and use an appropriate adhesive (e.g. Ultrabond ECO MS 4LVT/wall,...).
- 3 In a shower:** start from a flat, dry and vapour-proof surface.
- 4 Installation:** always read the specific installation instructions at [www.quick-step.co.uk](http://www.quick-step.co.uk)

# STEP 1 INSTALLATION

## Install your floor without hassle!

### 1 Easy installation thanks to the click systems

Our Uniclic® Multifit and Uniclic® click systems are developed especially for Livyn floors, making them fast and easy to install. The improved drop-down technology provides extra strength thanks to the vertical and horizontal locking.



### 2 Install Livyn on underfloor heating and cooling

Thanks to the excellent thermal conductivity, Livyn floors are suitable for installation over standard underfloor heating and cooling.

For more information:  
visit [www.quick-step.co.uk](http://www.quick-step.co.uk)



### 3 Renovation friendly

Livyn floors are thin so they can easily be laid on top of existing floor coverings. This will save you a lot of removal effort and let you renovate your space without any hassle.



## Installation tools

Install your vinyl floor in an easy and professional way with the handy Quick-Step Livyn installation tool and knife.



QSVSTARTKIT

#### Quick-Step® STARTERSKIT

Contents: Quick-Step knife,  
Installation tool,  
Clean for Livyn (750 ml)



QSVKNIFE / NEVKNIFEREFILL

#### Quick-Step® KNIFE

Quick-Step®  
REFILL  
1 PC = 40  
blades



QSVTOOL

#### Quick-Step® LIVYN INSTALLATION TOOL



QSTOOLA

#### Quick-Step® INSTALLATION SET Only for Rigid Click/Click+



Quick-Step Livyn floors can be installed in two different ways: floating or glued down.  
For a perfect installation, check out the installation videos on [bit.ly/ytquickstep](http://bit.ly/ytquickstep)



# Simply choose click or glue



## CLICK

Installing your Livyn floor is easy thanks to the patented Uniclic® Multifit and Uniclic® click systems. A good underlay has a major impact on the final look, quality and comfort of your Quick-Step Livyn floor. Use a Basic underlay for all common installations. For situations with high temperature variations (e.g. conservatory), use the Livyn Sunheat underlay. For the best sound reduction to the room below, use the Transitstop underlay (only in combination with our rigid floors).

- A Quick-Step underlay levels and helps to prevent small irregularities.
- It provides excellent acoustic insulation and reduces creaking noises when you walk across the floor.
- Suitable for floor heating and/or cooling.



## GLUE

The Quick-Step Livyn Glue+ ranges should also be glued down.

In conjunction with the glue specialist Soudal, Quick-Step developed a high quality glue especially for Livyn.

- Spreads easily and guarantees fast adhesion.
- Damp-proof.
- Suitable for floor heating and/or cooling.



### Quick-Step® BASIC LIVYN UNDERLAY

QSVUDLBASIC15

Contents:

1 roll = 15 m<sup>2</sup>

Thickness: 1 mm



### Quick-Step® SUNHEAT UNDERLAY

QSVUDLSH10

Contents:

1 roll = 10 m<sup>2</sup>

Thickness: 1,5 mm

Only for Click/Click+



### Quick-Step® TRANSITSTOP UNDERLAY

QSVUDLTRS15

Contents:

1 roll = 15 m<sup>2</sup>

Thickness: 1,5 mm

Only for Rigid Click/Click+



### Quick-Step® LIVYN GLUE

15kg: QSVGLUE15 = for +/- 50 m<sup>2</sup>

6kg: QSVGLUE6 = for +/- 20 m<sup>2</sup>



### Quick-Step® LIVYN TROWEL

QSVA2

The Livyn glue trowel ensures the perfect glue consumption per m<sup>2</sup>. To be ordered separately.

## STEP 2 FINISHING

# Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

## Skirting boards

### Quick-Step® LIVYN SKIRTING

2000 x 48 x 12 mm / 2000 x 55 x 12 mm




### Quick-Step® FLEXIBLE PAINTABLE SKIRTING

40 x 14 mm (can be cut at the desired length)



### Quick-Step® LIVYN PAINTABLE SKIRTING

2000 x 55 x 13 mm



QSVSKRA(-): 2000 x 48 x 12 mm. Available for all Balance and Ambient floors

QSVSKRB(-): 2000 x 55 x 12 mm. Available for all Pulse floors

Absolutely perfectly matching, in colour and structure, with your Quick-Step Livyn floor.

## Aluminium finishing profiles

### Quick-Step® LIVYN EXPANSION PROFILE

2000 x 7 x 24 mm QSVEXPSILV  
(for Click/Click+ floors)  
2000 x 8 x 30 mm QSVREXPSILV  
(for Rigid Click/Click+ floors)



### Quick-Step® LIVYN ADAPTER PROFILE

2000 x 7 x 26 mm QSVADPSILV  
(for Click/Click+ floors)  
2000 x 8 x 29 mm QSVRADPSILV  
(for Rigid Click/Click+ floors)



### Quick-Step® LIVYN END PROFILE

2000 x 7 x 18 mm QSVENPSILV  
(for Click/Click+ floors)  
2000 x 8 x 21 mm QSVRENPSILV  
(for Rigid Click/Click+ floors)



### Quick-Step® MULTIFUNCTIONAL PROFILE

1860 x 47 x 12.3 mm

Available in silver. Bridges height differences up to 12.3 mm and can be used as an adapter or expansion profile.



### Quick-Step® ONE4ALL GLUE

290 ml QSGLUE290

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.





# Finishing profiles for floor and stairs

## Quick-Step® Incizo®: four questions, one answer



Quick-Step's Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the supplied slitler. The multifunctional profile can be used to:

- 1 merge two floors that are the same height
- 2 finish your floor along a wall or window
- 3 solve variations in height from one floor to another
- 4 cover your stairs or steps



### Quick-Step® INCIZO® PROFILE

QSVINCP(-)

32 x 7 x 2000 mm

Contents: 1 Incizo®, 1 slitler, 1 plastic rail

Only for Rigid Click/Click+



With the exception of the rigid collections, all Quick-Step vinyl floors can be installed without expansion joints and finishing profiles. When installing rigid floors, take into account an expansion joint every 13 metres.

## Metal finishing profiles for stairs and steps

### Quick-Step® STAIR PROFILE GLUE INNER CORNER

2000 x 25 x 25 mm



### Quick-Step® STAIR PROFILE GLUE OUTER CORNER

2000 x 26 x 40 mm



### Quick-Step® STAIR PROFILE CLICK

2000 x 15 x 30 mm



## Finishing tools

### Quick-Step® KIT

310 ml QSKIT(-)



Elastic, acrylic-based paste.  
Use it to fill gaps in a matching  
colour.

Only for Glue+/Rigid

### Quick-Step® HYDROKIT

310 ml QSKITTRANSP



The Quick-Step Hydrokit  
is a transparent silicone for  
an invisible and waterproof  
finishing.

### Quick-Step® RADIATOR COVER

Contents: 2 radiator covers per package  
QSRCINOX15/22



The pipe covers (in  
stainless steel) allow you  
to finish heating elements  
and pipes. Available in  
two diameters: 15 mm or  
22 mm.

## STEP 3 CLEANING

## Keep your floor in top condition



### Quick-Step® CLEANING KIT

Contents: mop holder, washable microfiber mop,  
Quick-Step Cleaning product 1000 ml

The cleaning products are specifically developed  
for Quick-Step floors. They cleanse the floor  
surface thoroughly and maintain the original  
look of your floor. No residual layers of cleaning  
product are left behind.



Also available separately:

Quick-Step® **CLEANING PRODUCT 2,5 L**  
QSCLEANING2500

Quick-Step® **CLEANING PRODUCT 1000 ML**  
QSCLEANING1000

Quick-Step® **CLEANING MOP**  
QSSPRAYMOP



## We invest in energy-efficient production



We generate energy out of internal waste.  
The Livyn production plant uses this as its main source of power.



We continue to minimize our water use. 97% of our water supply for production is recycled water and more than 1000 m<sup>3</sup> rainwater is reused.

## We use carefully screened raw materials



Quick-Step Livyn does not contain any harmful substances.  
We only use phthalate free plasticizers.\*



Our internal waste is 100% recycled.

## Quick-Step livyn is a safe and extremely durable floor



Thanks to the perfectly sealed surface, the emission of volatile organic compounds is over 50 times lower than the most stringent European norm.



Thanks to the Scratch & Stain Guard technology, dirt can just be wiped off the floor, keeping the floor hygienic.  
No aggressive cleaning agents needed.

\* The same phthalates can be used in PVC for kids toys or food packaging purposes.

# LIVYN

COLLECTION 2018 - 2019



### Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on [www.quick-step.co.uk](http://www.quick-step.co.uk)



### Choose a Quick-Step® Master Installer

Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installer offer an additional 2 year installation warranty. Find a Master Installer in your area on [www.quick-step.co.uk](http://www.quick-step.co.uk)

Your Quick-Step® point of sale



[www.quick-step.co.uk](http://www.quick-step.co.uk)

### FOLLOW US ON

[www.facebook.com/QuickStepFloors](https://www.facebook.com/QuickStepFloors) [www.youtube.com/quickstepfloor](https://www.youtube.com/quickstepfloor)

[plus.google.com/+quickstep](https://plus.google.com/+quickstep) [www.pinterest.com/quickstepfloor](https://www.pinterest.com/quickstepfloor) [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by **UNILIN** bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO AMCL 40138  
Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.  
Content © 2018-2019 by **UNILIN** bvba – division Flooring.

All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. Print ref. 018 356 01 - Z2 EN