

# Kronotex Laminate Flooring Collection Underlay & Accessories



## Creative Flooring for Inspirational Spaces Commercial & Residential



Made in Germany

Provincial Floorcoverings Ltd



total flooring solutions

Limerick Dublin Belfast

# CONTENTS

## KRONOTEX FLOORING

<b>Mammut 12mm</b>	05
<b>Mammut plus 10mm</b>	07
<b>Robusto 12mm</b>	09
<b>Exquisit 8mm</b>	11
<b>Exquisit plus 8mm</b>	13
<b>Glamour 8mm</b>	15

## ACCESSORIES

<b>Underlay</b>	16
<b>Finishing Accessories</b>	17



ROBUSTO



MAMMUT



MAMMUT plus



EXQUISIT



EXQUISIT plus



GLAMOUR



D3081 Everest Oak Beige



Kronotex environmental product declarations (EPDs) are globally acknowledged and accepted Type III environmental labels conforming to ISO 14025.



DOP: KDE\_LF\_001  
 EN 14041  
 2013  
 www.kronotex.com



The mark of responsible forestry

Made in Germany






**D4792 Macro Oak Grey**



Kronotex floors are produced from natural sustainable raw materials.




**Mammut 12 mm Extra Long**


# MAMMUT

**12 mm**

**Commercial Class 33 AC5**




**D3077 Everest Oak Bronze**  
1-Strip | ER | V4



**D4152 Everest Oak Nature**  
1-Strip | ER | V4



**D3081 Everest Oak Beige**  
1-Strip | ER | V4



**D3076 Everest Oak**  
1-Strip | ER | V4



**D4794 Macro Oak Nature**  
1-Strip | ER | V4



**D4792 Macro Oak Grey**  
1-Strip | ER | V4



**D4791 Macro Oak Brown**  
1-Strip | ER | V4



**D3565 Tower Oak Nature**  
1-Strip | ER | V4



**D3576 Mountain Pine Sepia**  
1-Strip | ER | V4



**D4797 Highland Oak Silver**  
1-Strip | ER | V4




**ER (registered emboss)**  
Genuine wood appearance due to consistence between pattern and embossing



**D3565 Tower Oak Nature**



**12 mm**




**Panel:** 1845 x 188 x 12 mm  
**Pack Size:** 1.387m<sup>2</sup> / 1.658y<sup>2</sup> (4 panels per pack)  
**Pallet Size:** 56 boxes / 77.697m<sup>2</sup>



D4797 Highland Oak Silver

 Kronotex floors are abrasion resistant.



Mammut plus  
Extra Long & Extra Wide

# MAMMUT plus

10 mm

Commercial Class 33 AC5



D4794  
Macro Oak Nature  
1-Strip | ER | V4



D4797  
Highland Oak Silver  
1-Strip | ER | V4







ER (registered emboss)  
Genuine wood appearance due to  
consistence between pattern and embossing



D4794 Macro Oak Nature

 Commercial Class 33  
AC5


10 mm



Panel: 1845 x 244 x 10 mm  
Pack Size: 1.80m<sup>2</sup> / 2.152y<sup>2</sup> (4 panels per pack)  
Pallet Size: 42 boxes / 75.60m<sup>2</sup>







D3181 Rip Oak White




# ROBUSTO

12 mm

Commercial Class 33 AC5



12 mm



Panel: 1375 x 188 x 12 mm  
Pack Size: 1.293m<sup>2</sup> / 1.546y<sup>2</sup> (5 panels per pack)  
Pallet Size: 56 boxes / 72.38m<sup>2</sup>



**D4754 Oak Hella**



Kronotex floors are comfortable underfoot.



Click system makes the floors easier to install.

# EXQUISIT


**8 mm**



**D4169  
Prestige Oak Light  
1-Strip | ER | V4**



**D3224  
Atlas Oak Nature  
1-Strip | ER | V4**




**D2562  
Augusta Walnut  
1-Strip | MX | V4**



**D4790  
Oak Liskamm  
1-Strip | UL | V4**



**D4754  
Oak Hella  
1-Strip | UL | V4**



**D4765  
Pettersson Oak Grey  
1-Strip | ER | V4**



**D3009  
Playground  
1-Strip | MO**




**MO (matt oiled appearance)  
Matt oiled surface appearance**



**UL (aged appearance)  
With apparent signs of wear and tear**




**ER (registered emboss)  
Genuine wood appearance due to  
consistence between pattern and embossing**




**MX (matrix)  
Deep structure embossing with typical  
wood matt/gloss contrast**



**D3009 Playground**



**Commercial Class 32  
AC4**



**8 mm**




**Panel: 1380 x 193 x 8 mm**  
**Pack Size: 2.131m<sup>2</sup> / 2.548y<sup>2</sup> (8 planks per pack)**  
**Pallet Size: 56 boxes / 119.320m<sup>2</sup>**



**D3572 Harbour Oak Grey**



Kronotex floors are well suited for installation over subfloor heating.



**Exquisit plus Extra Wide**


# EXQUISIT plus 8 mm




**D4764**  
Petterson Oak Nature  
1-Strip | ER | V4




**D4766**  
Petterson Oak Dark  
1-Strip | ER | V4



**D4783**  
Gala Oak Nature  
1-Strip | ER | V4



**D4784**  
Gala Oak Brown  
1-Strip | ER | V4



**D4767**  
Palace Oak Dark  
2-Strip | AF | V4



**D3044**  
Rift Oak  
1-Strip | MX | V4




**D3570**  
Harbour Oak  
1-Strip | ER | V4



**D3572**  
Harbour Oak Grey  
1-Strip | ER | V4



**ER (registered emboss)**  
Genuine wood appearance due to consistence between pattern and embossing




**MX (matrix)**  
Deep structure embossing with typical wood matt/gloss contrast




**AF (authentic floor)**  
Natural and vivid wood texture



**D3570 Harbour Oak**



**Commercial Class 32 AC4**



**Panel:** 1380 x 244 x 8 mm  
**Pack Size:** 2.694m<sup>2</sup> / 3.22y<sup>2</sup> (8 panels per pack)  
**Pallet Size:** 42 boxes / 113.138m<sup>2</sup>



**D2911 Botticino Classico Light**



Kronotex floors are non-fading and retain their brilliance over many years.



High Gloss Surface

# GLAMOUR 8 mm



**D4179**  
Grizzly Slate  
Natural Stone Format | HG | V4



**D2911**  
Botticino Classico Light  
Natural Stone Format | HG | V4




**D4189**  
Victorian Oak  
1-Strip | HG | V4



**D4188**  
Morris Walnut  
1-Strip | HG | V4



D4179 Grizzly Slate



HG (high gloss)  
High gloss surface  
hardened with electronic beam



D4189 Victorian Oak

Abrasion Class  
AC4



Panel: 644 x 310 x 8 mm  
Pack Size: 1.996m<sup>2</sup> / 2.39y<sup>2</sup> (10 panels) per pack  
Pallet Size: 42 boxes / 83.849m<sup>2</sup>

\* Maurice Walnut / Victorian Oak  
Panel: 1376 x 193 x 8 mm  
Pack Size: 2.125m<sup>2</sup> / 2.55y<sup>2</sup> (8 panels) per pack  
Pallet Size: 32 boxes / 68.00m<sup>2</sup>





## acoustica silver

Premium Rubber Underlay

- Roll Weight: 18 kg
- Thickness: 2.5mm
- TOG: 0.22
- dB:22
- Roll Size: 1m x 10m



**Premium** cushioned support, with excellent impact and airborne sound insulation suitable for underfloor heating. Built in water vapour barrier and absorbs minor floor imperfections.

## acoustica gold excel

Supreme Rubber Underlay

- Roll Weight: 28 kg
- Thickness: 3.5mm
- TOG: 0.25
- dB:23
- Roll Size: 1m x 10m



**Supreme** noise reduction with premium cushioned support. Built in moisture barrier and absorbs minor floor imperfections. Suitable for use over underfloor heating.

## acoustica good

Dense Rubber Sponge Underlay

- Roll Weight: 32.2 kg
- Thickness: 3mm
- TOG: 0.22
- dB:22
- Roll Size: 1.37m x 11m



**High** density resilient underlay absorbs minor floor imperfections and keeps noise to a minimum. Premium cushioned support with low TOG rating guaranteed for use with most types of underfloor heating.

## whisper silver

Enhanced PE Foam/Foil Underlay

- Roll Weight: 1.30kg
- Thickness: 3 mm
- TOG: 0.55
- dB:18
- Roll Size: 1m x 10m



**Excellent** cushioned support, with good impact sound insulation built in water vapour barrier with overlap. Absorbs minor floor imperfections and is suitable for use over underfloor heating.

## whisper gold

Supreme PE Foam/Foil Underlay

- Roll Weight: 1.85kg
- Thickness: 5mm
- TOG: 0.98
- dB:20
- Roll Size: 1m x 10m



**Superb** cushioned support, with excellent impact sound insulation of 20 dB and a built-in moisture barrier with overlap. Suitable for use with underfloor heating and absorbs minor floor imperfections.

## KRONOTEX SILVERLINE

Eco Friendly Wood Fibre Underlay

- Thickness: 5mm
- dB:20
- Roll Size: 10,000mm x 675mm = 6.75m<sup>2</sup>



**Natural** wood fibre with aluminium lamination to keep moisture out. Outstanding ability to reduce footfall sound, room noise and shielding of electrosmog. Suitable for use over underfloor heating.


## FINISHING ACCESSORIES




**Stick Down Edge 9mm**  
2.7m length  
Tube: 10x lengths = 27.0m  
287MG Matt Gold / 287MS Matt Silver  
287OA Oak / 287DO Dark Oak




**Stick Down Edge 15mm**  
2.7m length  
Tube: 10x lengths = 27.0m  
288MG Matt Gold / 288MS Matt Silver  
288OA Oak / 288DO Dark Oak




**Stick Down Sloping Edge 8mm**  
2.7m length  
Tube: 10x lengths = 27.0m  
289MG Matt Gold / 289MS Matt Silver  
289OA Oak / 289DO Dark Oak



**Stick Down Sloping Edge 14mm**  
2.7m length  
Tube: 10x lengths = 27.0m  
290MG Matt Gold / 290MS Matt Silver  
290OA Oak / 290DO Dark Oak



**Stick Down Cover Strip**  
2.7m length  
Tube: 10x lengths = 27.0m  
291MG Matt Gold / 291MS Matt Silver  
291OA Oak / 291DO Dark Oak



**Stick Down Sloping Edge 22mm**  
2.7m length  
Tube: 10x lengths = 27.0m  
292MG Matt Gold / 291MS Matt Silver



**White**  
110

**Veranda**  
115/D2940

**Prestige Oak Light**  
D4169

**Phalsbourg Oak**  
D3073

**White 110**  
120mm x 2.25m

**Rustic Maple**  
315/D437

**Sterling Oak Medium**  
D2805

**Dark Vintage Oak**  
260

**Natural Oak**  
230/D2981

**Natural Oak 230**  
120mm x 2.25m

**Natural Pine**  
220/D774

**Walnut**  
160/ D2475

**Rift Oak**  
D3044

**Italian Walnut**  
310

**Burbon/Italian Walnut 310**  
120mm x 2.25m

**Prestige Oak Dark**  
D4168

**Prestige Oak Grey**  
D4167



D2778 Walnut



Kronotex floors are rugged, load and impact resistant.




Robusto 12 mm V4 on all sides



D3576 Tower Oak Nature



Kronotex floors are produced from natural sustainable raw materials.



Mammut 12 mm Extra Long

# Kronotex Laminate Flooring Collection

## Underlay & Accessories



Provincial Floorcoverings Ltd



total flooring solutions

Limerick Dublin Belfast

Visit/Shop online at [www.pfl.ie](http://www.pfl.ie)



@PFL\_Ireland



Provincial-Floorcoverings-Ltd

### LIMERICK

Unit 9 Raheen Business Park, Limerick

Tel. + 353 (0) 61 227100 Fax. + 353 (0) 61 227000 Lo. Call 1850 445 745

email: [sales@pfl.ie](mailto:sales@pfl.ie)

### DUBLIN

Unit 19/20/25 Westlink Industrial Estate, Kylemore Road, Dublin 10

Tel. + 353 (0) 1 6263913 Fax. + 353 (0) 1 6263960 Lo. Call 1850 445 746

email: [salesdublin@pfl.ie](mailto:salesdublin@pfl.ie)

### BELFAST

Unit 1 York Retail Park, 1 York Road, Belfast, BT15 3GU

Tel. (0) 28 9075 3202 Fax. (0) 28 9075 3901

email: [salesbelfast@pfl.ie](mailto:salesbelfast@pfl.ie)